BOUTIQUE

fashions
to knit
and
crochet



No. 8524
(Page 23)

No. 8526
(Page 23)

VOL. 85 50¢

Bear Brand and FLEISHER Yarns

EMPIRE

Medium

MATERIALS: **BEAR BRAND or FLEISHER'S**
BEAR BRAND or FLEISHER'S
1 skein.
5½ yds. Velvet Tubing.
3 Large Hooks and Eyes.
Buckram—2 pieces 2 inches
1 piece 4 inches

KNITTING NEEDLES: 1 pair "Boye" 14 inch
OR SIZE YOU REQUIRE TO OBTAIN

GAUGE: **3 sts = 1 inch** **6 rows = 1 inch**
To check gauge, see page 35.

Note: Entire garment is worked with 2 strands of A for seed st pat. and 2 strands of B for stockinette pat.

Note: Mark first row of each piece for wrong side.

BACK—With A, cast on 65 sts.

Seed Stitch Pattern — Row 1 — wrong side—K 1, * p 1, k 1; repeat from * to end.

Repeat last row 24 times—about 4 ins., end on wrong side. Drop A.

Attach B, k 1 row, p 1 row. Break B. With A, k 1 row. Work pat. row for

HARLEQUIN

Sizes 12,

Instructions are for size 12, changes for sizes 14 *chart,* page 35.

MATERIALS: **BEAR BRAND or FLEISHER'S SOUFFLÉ, and BUCILLA BROCADE,** B,

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.

GAUGE: **5 sts = 1 inch** **7 rows = 1 inch**
To check gauge, see page 35.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....
Width of sleeve at underarm .....

BACK—With size 4 needles and A, cast on 90 (94-98) sts.

Work stockinette st—p 1 row, k 1 row —for 5 rows.

With B, k 1 row.

Next row—wrong side—K 1 row, inserting needle in back of sts for turning ridge of hem.

With size 5 needles, and B, work stockinette st for 8 rows.

With A, continue in stockinette st until

Copyright MCMLXIV in U.S.A. and Canada, Bernhard Ulmann Company

The Yarn Barn, Inc.
ROUTE 1, BOX 185
POULSBO, WASHINGTON

..No. 8517 *(left)*

Size

LOOP-AIRE, 1 oz. skeins, A, 20 skeins
"SHETLAND AND WOOL", 2 oz. skeins, B,

x 14½ inches.
x 32 inches.
Needles, Size 11—
GAUGE.

15 rows—about 2½ ins., end on wrong side. Mark for underarm.

Armholes—Bind off 4 sts at beg. of each of next 2 rows.

Dec. row—With care to keep pat., dec. 1 st at beg and end of next row. Work 1 row even. Repeat last 2 rows once; 53 sts. Slip to holder.

RIGHT SLEEVE—With A, cast on 47 sts. Work seed st pat. for 13 rows—about 2 ins., end on wrong side.
With care to keep pat., dec. 1 st at beg. and end of next row; 45 sts.

(Continued on Page 7)

...No. 8525 *(right)*

14, 16

and 16 are in parentheses, *see body measurement*

	Size 12	Size 14	Size 16
A,	5 balls	6 balls	7 balls
	2 balls	2 balls	2 balls

To fit	32 in. Bust	34 in. Bust	36 in. Bust
.....inches	37	39	41
.....inches	18	19	20
.....inches	14	14¼	14½

62 (62-60) rows—about 9 (9-8½) ins. above turning ridge.
Note: Extra length of armhole compensates for difference in length to underarm.

Raglan Shaping—Bind off 5 sts at beg. of next 2 rows.

Next row—right side—K 1, slip, k and pass, work to within 3 sts of end, k 2 tog., k 1. P 1 row.

(Continued on Page 32)

THE GOLDEN LOOK... No. 8516

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see body measurement chart,* page 35.

	Size 10-12	Size 14-16
MATERIALS: BUCILLA BROCADE	11 balls	12 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Crochet Hook, Size 00.

GAUGE: KNITTED GAUGE — 13 sts = 2 inches 10 rows = 1 inch
BLOCKED GAUGE — 6 sts = 1 inch 9 rows = 1 inch
To check gauge, see page 35.

Note: A swatch should be worked and **blocked** before beg. jacket to make sure that your blocked gauge agrees with blocked gauge given above.

MEASUREMENTS FOR BLOCKING:	**To fit**	**30-32 in. Bust**	**34-36 in. Bust**
Width at bustline	inches	35	38
Width of back at underarm	inches	17	18
Width of sleeve at underarm	inches	13	13½
Width of each front at bustline	inches	9	10
Length from lower edge to underarm	inches	12½	12½
Length from lower edge to shoulder	inches	20	20½
Length of sleeve from lower edge to underarm	inches	12½	12½

BACK—Cast on 102 (108) sts. Work in stockinette st,—p 1 row, k 1 row—for 11½ ins., end on right side. Mark for underarm.

Armholes—Bind off 5 (6) sts at beg. of each of next 2 rows. Dec. 1 st at beg. and end of each of every 2nd row 6 (7) times; 80 (82) sts. Work even until 6¾ (7¼) ins. above marker, end on right side.

Shoulder Shaping—Bind off 6 (6) sts at beg. of each of next 2 rows; 6 (7) sts at beg. of each of next 2 rows; 7 sts at beg. of each of next 4 rows; 28 sts. Bind off.

LEFT FRONT — Cast on 54 (60) sts. Work in stockinette st,—p 1 row, k 1 row—, for 11½ ins., end on wrong side at side edge. Mark for underarm.

Armhole—Bind off 5 (6) sts at beg. of next row. Dec. 1 st at armhole edge every 2nd row 4 (7) times; 45 (47) sts. Work even until 4½ ins. above marker, end on right side at neck edge.

Neck and Shoulder Shaping—Bind off 7 (8) sts at beg. of next row. Finish row. At neck edge, dec. 1 st **every** row 5 times; every 2nd row 7 times, **at same time,** when armhole is same length as back, shape shoulder as for right side of back.

RIGHT FRONT — Cast on 54 (60) sts. Work to correspond to left front, reversing all shaping.

SLEEVES—Cast on 60 (63) sts. Work in stockinette st for 9 rows, end on wrong side. Inc. 1 st at beg. and end of next row; 62 (65) sts. Repeat incs. every 8th row, 8 times; 78 (81) sts. Work even until 11½ ins. from beg., end on right side. Bind off 5 (6) sts at beg. of next 2 rows; 68 (69) sts. Dec. 1 st at beg. and end of every 2nd row 23 times.

Next row—K 2 tog. twice, k to end.

Next row—P 2 tog. twice, p to end.

Repeat last 2 rows once; 14 (15) sts. Bind off.

POCKET — Cast on 24 sts. Work in stockinette st,— p 1 row, k 1 row—, for 4 ins. Bind off.

FINISHING — Block pieces to measurements, see page 35.

Sew shoulder, side and underarm seams. Sew in sleeves matching underarm seams. From right side, with care to keep work flat, work 1 row sc around entire pocket, working 3 sc in each corner; join with a slip st, fasten off yarn. From right side—join yarn at upper right corner of pocket and sc across top. Fasten off. Repeat this row twice. Fold over 3 rows of crocheted border and hem to right side. Sew pocket to right front 2½ ins. from front edge and lower edge of pocket even with lower edge of jacket.

CROCHET BORDER — From right side, beg. at center back of neck and with care to keep work flat, work 2 rows sc around entire jacket, working 3 sc at corners of neck and lower edges.

Row 3—Dec. row—Work 1 sc in each sc to within 1 sc of corner. Dec. as follows: * insert hook in last sc, draw up a loop; insert hook in corner sc, draw up a loop; insert hook in next sc, draw up a loop (4 loops on hook), yo and through all four loops on hook (2 sts dec.). Continue around jacket, repeating from * at each corner.

Row 4—Work same as row 3, working 2 sts tog. in each corner, join end of round with slip st. Fasten off.

Work 4 rows of sc on lower edges of sleeves for crocheted border.

Fold over 3 rows of border and hem to right side.



PROM BEAUTY

..No. 8518

Size 12-14

MATERIALS: BUCILLA or FLEISHER'S IMPORTED FRENCH ANGORA, 19 balls.
1 Button Mold—1½" in diameter.

KNITTING NEEDLES: 1 pair "Boye" 14 inch Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 sts = 1 inch 13 rows = 2 inches
To check gauge, see page 35.

MEASUREMENTS FOR BLOCKING:
Hemmed length at center back—17 inches

Cast on 240 sts for hem facing at lower edge of cape.

Row 1—wrong side—P.

Row 2—K.

Repeat last 2 rows until 7 rows from beg., end with a p row. Place a marker in last st.

Short rows—for shaping lower edge—

Row 1—right side—K to within 48 sts of end; turn.

Row 2—Slip 1 st as to p, p to within 48 sts of end; turn.

Row 3—Slip 1 st as to k, k to within 42 sts of end; turn.

Row 4—Slip 1 st as to p, p to within 42 sts of end. Continue to work 6 sts more each side every row for 12 rows more; turn.

Row 17—Slip 1 st as to k, k to end.

Inc. 1 st each side every row 6 times; every 2nd row 8 times; 268 sts.

First dec. row—wrong side—P 17, p 2 tog., * p 6, p 2 tog.; repeat from * to within 17 sts of end, p 17; 238 sts.

K 1 row, p 1 row.

Inc. 1 st each side of next row and repeat incs. every 4th row 5 times; 250 sts.

2nd dec. row—P 23, p 2 tog., * p 5, p 2 tog.; repeat from * to within 22 sts of end, p 22; 220 sts. Work even until 12½ ins. from beg., measuring at center, end with a p row at right front edge.

1st Buttonhole row—K 7, bind off 5 sts for buttonhole, k to end.

Next row — P, casting on 5 sts over bound-off sts of previous row.

Work 3 rows even, end with a k row.

3rd dec. row—P 22, p 2 tog., * p 4, p 2 tog., repeat from * to within 22 sts of end, p 22; 190 sts.

Short row for neck shaping—Row 1—right side—K to within 6 sts of end; turn.

(Continued on Next Page)

PROM BEAUTY No. 8518 *(Continued from Page 6)*

Row 2—Slip 1 as to p; p to within 6 sts of end; turn.
Row 3—Slip 1 as to k, k to within 9 sts of end; turn.
Row 4—Slip 1 as to p, p to within 9 sts of end. Continue to work 3 sts less every row for 20 rows more, working 112 sts in the 24th row and having 39 at each end.
Row 25—4th dec. row—Turn, slip 1 as to k, k 8; k 2 tog. 12 times, k 1, * k 2 tog. twice, k 1; repeat from * 8 times more; k 2 tog. 12 times, k 6; turn; 42 sts. dec.; 148 sts.
Row 26—Slip 1 as to p, p to within 42 sts of end; turn. Continue to work 3 sts less every row for 4 rows more, working 52 sts in the 30th row; 48 sts. at each end.
Row 31—Turn, slip 1, k to end. Work 7 rows even on all 148 sts for facing of neck hem; end with a p row. Bind off.

Right Front Facing—Join yarn on right front edge at marker. Pick up and k 6 sts in next 6 rows on front edge, 14 sts in next 16 rows, 14 sts in next 24 rows, 2 sts in next 3 rows, 12 sts in the 16 rows worked even, 2 sts in next 4 rows; 50 sts. P 1 row, k 1 row.
First dec. row—P 2 tog., * p 10, p 2 tog., repeat from * to end; 45 sts. K 1 row, p 1 row, k 1 row.
2nd dec. row—P 1, p 2 tog., * p 12, p 2 tog.; repeat from * to end; 41 sts. Bind off.

Left Front Facing — Join yarn on left front edge in first row of neck facing. Pick up and k 50 sts on left front edge to correspond to right front facing. Work same as right front facing.

BUTTON—Cast on 14 sts. P 1 row.
Inc. row—K, inc. 1 st in each st; 28 sts. P 1 row, k 1 row for 4 rows.
Dec. row—* P 2 tog.; repeat from * to end; 14 sts. Break yarn leaving a 12 in. end. Thread end of yarn in tapestry needle, run through sts, slipping them off needle, draw up tightly, fasten. Run yarn through sts again, fasten. Sew side edges tog. Cover a metal button-mold size 1½ in. diameter with material of matching color. Place mold inside button. Run yarn through cast-on sts, draw up tightly, fasten.

FINISHING—Weave ends of front facings to adjoining ends of facings on neck and lower edge. Turn back 7 rows of facings to wrong side and hem. Hem neck facing to 4th dec. row, holding dec. section of neck in to 9½ ins. Work buttonhole in blanket st.
Sew button on left front allowing 4 ins. on right front for lap over.
Steam lightly, see page 35.

EMPIRE No. 8517 *(Continued from Page 3)*

Work even until 4 ins. from beg., end on wrong side. Drop A.
With B, k 1 row, dec. 1 st at beg. and end of row; 43 sts. P 1 row. Break B.
With A, k 1 row. Work pat. row for 9 rows—1½ ins. Dec. 1 st at beg. and end of next row; 41 sts.
Work even in pat. until same as back to underarm, end on wrong side. Bind off 4 sts at beg. of each of next 2 rows; 33 sts.

Dec. row—Dec. 1 st at beg. and end of row. Work 1 row even. Repeat last 2 rows once. Slip remaining 29 sts to holder.

LEFT SLEEVE — Work same as right sleeve.

LEFT FRONT—With A, cast on 43 sts. Work same as back to underarm, end at underarm edge on wrong side. Mark for underarm.

Armhole—Bind off 4 sts at beg. of next row, finish row. Work 1 row even.
Dec. row—K 2 tog., finish row. Work 1 row even. Repeat last 2 rows once, end on wrong side. Slip remaining 37 sts to holder.

RIGHT FRONT—With A, cast on 43 sts. Work same as back to underarm, end at underarm edge on **right side.**

Armhole—Bind off 4 sts at beg. of next row, finish row.

Dec. row—Work to within 2 sts of end, dec. in last 2 sts, keeping seed st pat. Work 1 row even. Repeat last 2 rows once, end on wrong side; 37 sts.

Joining row—Work pat. on the 37 sts of right front; from wrong side with free needle, take up the 37 sts of left front, 29 sts of left sleeve, 53 sts of back, 29 sts of right sleeve. From right side, beg. at right underarm, work 29 sts of right sleeve, 53 sts of back, 29 sts of left sleeve and 37 sts of left front; 185 sts. Work 1 row even.
First dec. row—With B, k 17, * k 2 tog., k 4; repeat from * 24 times, ending k 2 tog., k 16; 159 sts. P 1 row. Break B. With A, k 1 row. Work 23 rows even in seed st, end on wrong side. Break A.
2nd dec. row—With B, k 16, * k 2 tog., k 3; repeat from * 24 times, ending k 2 tog., k 16; 133 sts. Break B.
Next row—With A, bind off first 6 sts, work pat. to within 6 sts of end. Bind off last 6 sts for facing; 121 sts. Break B. Join A at neck edge, work even in pat. for 11 rows, end on wrong side.
3rd dec. row—Work 31 sts in pat. p 2 tog., k 2 tog., p 2 tog., k 2 tog., p 2 tog., k 2 tog., work p 1, k 1 across 35 sts in pat., k 2 tog., p 2 tog., k 2 tog., p 2 tog., k 2 tog., p 2 tog., work last 31 sts in k 1, p 1 pat.; 109 sts.
Work even in pat. until 23 rows above 3rd B stripe, end on wrong side. Mark at both sides for beg. of facing.
With A, work 23 rows even in seed st. Bind off in pat. on wrong side.

FINISHING—Sew underarm and sleeve seams. Turn back neck facing to wrong side, interlining with buckram and hem, holding in extra fullness at each shoulder. Block, see page 35. Cut velvet tubing into 5 pieces, having one 44 inch length for top B stripe; one 61 inch length for center B stripe; one 52 inch length for lower B stripe; two 15 inch lengths for B stripes on sleeves. Pin tubing covering the B stripes, turning under at front edges and sew neatly. Sew tubing on sleeves in same manner. Turn back to wrong side 2 ins. on each front edge, interlining with buckram, and hem, sewing top edge of front facing to edge of neck facing. Sew on 3 large hooks and eyes on the velvet tubing on wrong side about 1½ ins. from front edges.

NIGHT AND DAY... No. 8514

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see body measurement chart,* page 35.

	Size 10-12	Size 14-16
MATERIALS: BUCILLA RUBAN d'ART	10 spools	12 spools

CROCHET HOOK: "Boye" Aluminum Hook, Size G (5)—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: BLOCKED—4 dc = 1 inch 1 row sc and 1 row dc = 1 inch
To check gauge, see page 35.

Note: Draw loop of each dc up on hook to measure about ¾ in.

BACK—Ch 72 (76) loosely for lower edge.

Row 1—right side—Work 1 dc in 4th ch from hook, 1 dc in each remaining ch; 70 (74) dc, counting turning ch as 1 dc.

Row 2—Ch 1, turn, 1 sc in each dc, end 1 sc in top of turning ch; 70 (74) sc.

Row 3—Ch 3, turn, work 1 dc in 2nd and each sc to end; 70 (74) dc.
Repeat rows 2 and 3, 8 times, row 2 once.

Armholes—Ch 1, turn, work a slip st in each of next 5 sc, ch 3, work 1 dc in 2nd and each sc to within 5 sts of end; 60 (64) dc.

Raglan Shaping—Row 1—Ch 1, turn, work 1 sc in first st, dec. 1 st by drawing up a loop in each of next 2 sts and working off as 1 sc, work sc to within 3 sts of end, work a dec. on next 2 sts, 1 sc in last st.

Row 2—Ch 3, turn, work 1 dc in 2nd st, dec. 1 st as follows: * insert hook in next st, yo, draw up a loop on hook, yo, pull through 2 loops; 2 loops on hook, insert hook in next st, yo, draw up a loop on hook, yo, pull through 2 loops; 3 loops on hook; yo pull through 3 loops. * Work 1 dc in each st to within 3 sts of end, repeat between *'s once, 1 dc in last st. Repeat last 2 rows 7 (8) times; row 1 once more; 26 scs. Fasten off.

LEFT FRONT—Ch 50 (52).

Row 1—right side—Work 1 dc in 4th ch from hook, 1 dc in each remaining ch; 48 (50) dc, counting turning ch as 1 dc.
Continue in pat. same as for back to underarm, end with pat. row 2 at side edge.

(Continued on Page 25)

GLAMOUR SHELL...No. 8531

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 35.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SOUFFLÉ	4 balls	4 balls	5 balls
BUCILLA GLAMOUR TRIM KIT No. 3800	1 kit	1 kit	1 kit

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4

GAUGE: Size 5 Needles — 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 35.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width at bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½



BACK—With size 4 needles, cast on 82 (88-94) sts for facing of hem. P 1 row, k 1 row for 4 rows. K next row on wrong side for turning ridge, inserting needle into back loop of each st. Work in stockinette st—k 1 row, p 1 row—for 5 rows. K next row on wrong side for ridge at top of hem, inserting needle into back loop of each st. With size 5 needles continue in stockinette st—k 1 row, p 1 row—until 11¾ ins. above turning ridge. Mark for underarm.

Armholes—Bind off 5 (6-7) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4-5) times; 66 (68-70) sts. Work even until armhole measures 4 (4¼-4½) ins. above marker, end with a k row.

Divide for Neck—P 21 (22-23) sts, place these sts on holder for left side; p next 24 sts and place them on a separate holder for neck; p to end, 21 (22-23) sts for right side.

Right Side—Continue in stockinette st, decreasing 1 st at neck edge every row 8 times. Work even until armhole measures 6¾ (7-7¼) ins. above marker, end on wrong side at armhole edge.

Shoulder—Bind off 6 (7-8) sts, finish row. Work 1 row even. Bind off 7 sts.

Left Side—From wrong side slip sts from holder to size 6 needle. From right side join yarn at neck edge, complete to correspond to right side.

FRONT—Work same as back.

NECK BORDER and FACING—BACK—Join yarn at back neck edge at right shoulder; from right side, with size 4 needle pick up and k 20 sts on right neck edge, take up and k 24 sts from holder, pick up and k 20 sts on left

(Continued on Page 25)

GALA... No. 8520

Sizes 10-12, 14-16, 18-20

Instructions are for size 10-12, changes for sizes 14-16 and 18-20 are in parentheses, *see body measurement chart,* page 35.

	Size 10-12	Size 14-16	Size 18-20
MATERIALS: BEAR BRAND or FLEISHER'S SUPRA MOHAIR	10 balls	12 balls	14 balls

KNITTING NEEDLES: 1 pair "Boye" 14 inch Needles, size 13—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" 14 inch Needles, size 10½.
"Boye" Plastic Crochet Hook, Size E (2) for Button.

(Continued on Next Page)

GALA No. 8520 *(Continued from Page 10)*

GAUGE: Size 13 Needles — 5 sts = 2 inches 7 rows = 2 inches
To check gauge, see page 35.

MEASUREMENTS FOR BLOCKING:	To fit	30-32 in. Bust	34-36 in. Bust	38-40 in. Bust
Hemmed width at lower edge	inches	71	75	79
Width at neck edge	inches	28½	30	31
Length at center back	inches	18½	18½	18½
Length at front edges	inches	14	14	14

Cape is worked with 2 strands of yarn except hem facings which are worked with 1 strand. With size 10½ needles and 1 strand of yarn, cast on 162 (172-182) sts for hem facing on lower edge.

Row 1—wrong side—K 2, * p 8, k 2; repeat from * to end.

Row 2—P 2, * k 8, p 2; repeat from * to end.

Repeat last 2 rows until 6 rows in all from beg., end with row 2.

With size 13 needles, repeat row 1. Join 2nd strand of yarn.

Short rows for shaping lower edge—

Row 1—right side—With 2 strands of yarn, work to within 40 sts of end.

Row 2—Turn, slip 1 st as to p; work to within 40 sts of end.

Row 3—Turn, slip 1 st as to k, work to within 35 sts of end.

Row 4—Turn, slip 1 st as to p, work to within 35 sts of end.

Continue in this way to work 5 sts more every row for 12 rows more, working to within 5 sts of end in last 2 rows.

Row 17—Turn, slip 1 st as before, work to end; cast on 16 sts for left front hem.

Row 18—P 16 cast on sts, k 2, * p 8, k 2; repeat from * to end; with other ends of yarn, cast on 16 sts on free needle and p these 16 sts for right front hem; 194 (204-214) sts.

Row 19—K 16, p 2, * k 8, p 2; repeat from *, end last repeat k 16.

Row 20—P 16, k 2, * p 8, k 2; repeat from *, end last repeat p 16.

Repeat rows 19 and 20 twice more.

First dec. row—right side—K 6, k 2 tog., slip, k and pass, k 6, p 2; * k 3, k 2 tog., k 3, p 2; repeat from * to within 16 sts of end, k 6, k 2 tog., slip, k and pass, k 6; 174 (183-192) sts.

Next row—P 14, * k 2, p 7; repeat from *, end last repeat p 14.

Next row—K 14, * p 2, k 7; repeat from *, end last repeat k 14.

Repeat these 2 rows for 5 rows more.

2nd dec. row—K 5, k 2 tog., slip, k and pass, k 5, p 2, * k 3, k 2 tog., k 2, p 2; repeat to within 14 sts of end, k 5, k 2 tog., slip, k and pass, k 5; 154 (162-170) sts.

Work 15 rows even, continuing ribs.

3rd dec. row—K 4, k 2 tog., slip, k and pass, k 4, p 2, * k 2, k 2 tog., k 2, p 2; repeat from * to within 12 sts of end, k 4, k 2 tog., slip, k and pass, k 4; 134 (141-148) sts. Work 5 rows even.

4th dec. row—K 3, k 2 tog., slip, k and pass, k 3, p 2, * k 2, k 2 tog., k 1, p 2; repeat from * to within 10 sts of end, k 3, k 2 tog., slip, k and pass, k 3; 114 (120-126) sts.

Work 2 rows even, end at left front edge.

Work vertical buttonhole in next 3 rows as follows:

First buttonhole row—wrong side—P 8, * k 2, p 4; repeat from * to within 10 sts of end, k 1, leaving 9 sts on left needle.

2nd buttonhole row—Turn, p 1, * k 4, p 2; repeat from * to within 8 sts of end, k 8.

3rd buttonhole row—Work in pat. up to the 9 sts left on needle. Break yarn, leaving a 15 in. end for finishing buttonhole. Join yarn in the 9th st from right front edge and k 1, p 8 on these 9 sts. Work 2 rows even on these 9 sts, end at front edge.

5th dec. row—K 2, k 2 tog., slip, k and pass, k 2, p 2, * k 1, k 2 tog., k 1, p 2; repeat from * to within 8 sts of end, k 2, k 2 tog., slip, k and pass, k 2; 94 (99-104) sts.

Work 5 rows even, end at right front edge.

6th dec. row—Bind off 6 sts, p 2 tog., * k 3, p 2 tog.; repeat from * 16 (17-18) times, bind off remaining 6 sts; 65 (69-73) sts. Break yarn.

Neck Hem Facing—Join 1 strand of yarn in last st on needle.

Row 1—With 1 strand of yarn, k 1, * p 3, k 1; repeat from * to end.

Row 2—P 1, * k 3, p 1; repeat from * to end. Repeat these 2 rows twice more. Bind off in pat.

FINISHING—Turn back 6 rows of hem facings on neck and lower edges to wrong side and hem with one strand of yarn, matching ribs, and holding neck hem in to 28½ (30-31) ins., and keeping hem on lower edge flat. Turn back front edges with decs. at center of fold and with 1 strand of yarn, hem to edge of first narrow rib. Weave ends of front facing to adjoining edges of neck and hem facings. Sew open edges of front and facing tog. at neck and lower edges.

With 2 strands of yarn, work buttonhole in blanket stitch.

BUTTON—Ch 3, join with a slip st to form a ring

Round 1—Work 5 sc in ring. Mark ends of rounds.

Round 2—Working in back loop only, work 2 sc in each st; 10 sts.

Round 3—Same as round 2; 20 sts.

Round 4—Working in back loop only, work 1 sc in each st; 20 sts. Repeat round 4 once.

Round 6—Work a dec. in next 2 sts as follows: insert hook in next sc, draw up a loop, insert hook in next sc, draw up a loop—3 loops on hook—yo and pull through all loops on hook, * 1 sc in next st, a dec. in next 2 sts; repeat from * to end of round; 13 sts.

Round 7—Work 1 sc in each st as before; 13 sts. Fasten off, leaving a 15 in. end. Turn wrong side out. Run end of yarn through back loop of each st in last row. Cover a metal button-mold, 1½ in. in diameter, with material of matching color. Place mold inside button and draw yarn up tightly and fasten.

Sew button to left front, opposite buttonhole, sewing to first p rib.

Steam lightly, see page 35.

DAY...

No. 8501...

Sizes 10-12,

Instructions are for size 10-12, changes for size page 35.

MATERIALS: **BUCILLA PARADISE,** 1 oz. skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 6 sts = 1 inch **9 rows = 1 inch**
To check gauge, see page 35.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

BACK—With A, cast on 103 (115) sts. P 1 row.

Note: Carry A loosely along side edge when not in use. Fasten off B, C, or D at end of each stripe.

Pattern—Row 1—right side—With B, k 1, * slip 1, k 1; repeat from * to end. With B, p 1 row, k 1 row for 17 more rows, end with p row.

Row 19—With A, same as row 1.

Row 20—With A, p 1 row.

Sizes 10-12,

Instructions are for size 10-12, changes for size page 35.

MATERIALS: **BUCILLA PARADISE,** 1 oz. skeins
BUCILLA RUBAN d'ART,

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 7—"Boye" Steel Hook, Size 0.

GAUGE — KNITTED GAUGE: 5 sts = 1 inch
BLOCKED GAUGE: 9 sts = 2 inches
To check gauge, see page 35.

Note: When working with Ruban d'Art, always work in back loop of k sts.

BACK—With size 7 needles and A, cast on 78 (86) sts.
Work k 1, p 1 ribbing for 3 rows.
With B, k 1 row, p 1 row for 10 rows.
With A, k 1 row, p 1 row.
Repeat last 12 rows 3 times, alternating colors C, D and E for Ruban d'Art

OR DATE

14-16

14-16 are in parentheses, *see body measurement chart,*

	Size 10-12	Size 14-16
Color A —	2 skeins	2 skeins
Color B —	3 skeins	3 skeins
Color C —	2 skeins	2 skeins
Color D —	2 skeins	2 skeins

To fit	30-32 in. Bust	34-36 in. Bust
.....inches	34	38
.....inches	17	19

Row 21—With C, same as row 1. With C, p 1 row, k 1 row for 15 more rows end with p row.

Rows 37 and 38—With A, same as rows 19 and 20.

Row 39—With D, same as row 1. With D, p 1 row, k 1 row for 13 more rows, end with p row.

Rows 53 and 54—With A, same as rows 19 and 20.

(Continued on Page 17)

..No. 8519

14-16

14-16 are in parentheses, *see body measurement chart,*

	Size 10-12	Size 14-16
Color A—	2 skeins	2 skeins
Color B—	1 spool	2 spools
Color C—	1 spool	1 spool
Color D—	1 spool	1 spool
Color E—	1 spool	1 spool

OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

4 rows = 1 inch

stripes. With B, work 4 (2) rows. Mark for underarm.

Note: Difference in length is compensated for in depth of armhole.

Armholes—Bind off 4 (5) sts at beg. of each of next 2 rows. Continuing stripes as before, dec. 1 st each side every 2nd row 2 (3) times; 66 (70) sts. Work even until 7th Ruban d'Art stripe is completed. With A, k 1 row.

(Continued on Page 33)



TURNABOUT... No. 8515

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 35.

	Size 12	Size 14	Size 16
MATERIALS: BUCILLA BROCADE	7 balls	8 balls	9 balls

CROCHET HOOK: "Boye" Steel Crochet Hook, Size 0—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

CROCHETED GAUGE: **5 shells = 2 inches** **10 rows = 3 inches**

BLOCKED GAUGE: **7 shells = 3 inches** **10 rows = 4 inches**

To check gauge, see page 35.

(Continued on Next Page)

TURNABOUT No. 8515 *(Continued from Page 14)*

Note: A swatch should be crocheted and **blocked** before starting, to make sure that your blocked gauge agrees with the blocked gauge given at the beginning of these instructions.

MEASUREMENTS FOR BLOCKING:	To fit	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline	inches	38½	40½	42½
Width of back at underarm	inches	18½	19½	20½
Length from lower edge to underarm	inches	9	9	9
Length from underarm to shoulder	inches	8	8	8¾

Note: Instructions are written for front opening. If desired, wear as illustrated.

BACK—Ch 84 (88-92). Work 1 sc in 2nd ch from hook and sc in each st to end of ch; 83 (87-91) sc, ch 3, turn.

Pattern—Row 1—Work 1 hdc as follows; yo hook, insert hook in first sc and draw up a loop, yo and draw through all three loops on hook; * skip 1 sc, work 1 hdc in next sc, ch 1, 1 hdc in same sc—a shell pat., repeat from * to end; 42 (44-46) shell pats., ch 3, turn.

Note: The turning ch and hdc at beg. of every row is the first shell pat. and is included in number of shells in row.

Row 2—Work 1 hdc in ch 1 space of first shell from hook; * work 1 hdc in ch 1 space of next shell, ch 1, 1 hdc in same ch 1 space—a shell pat.; repeat from * across row, end 1 shell in last space; 42 (44-46) shells.

Repeat last row 22 times—24 rows of shells—about 7 ins. from beg. Mark for underarm. Ch 1, turn.

Armholes—Row 25—Work a slip st in each of first 9 sts—3 shells; ch 3, work 1 hdc in ch 1 space of next shell, work 35 shells—3 shells left off at each side for underarm; 36 (38-40) shells. Ch 3, turn.

Row 26—First dec. row—Work 1 hdc in first ch 1 space of first shell, * yo hook, insert hook in ch 1 space of next shell and draw up a loop—3 loops on hook; yo and draw through 2 loops; yo, insert hook in ch 1 space of next shell, yo and draw up a loop— 4 loops on hook, yo and draw through 2 loops —3 loops on hook, yo and draw through 3 loops; ch 1, work 1 hdc in same ch 1 space as last st— 1 shell decreased; * work 32 (34-36) shells; repeat between *'s once, work last shell; 34 (36-38) shells, ch 3, turn.

Row 27—Work 1 hdc in first shell, work remaining 33 (35-37) shells, ch 3, turn.

Row 28—2nd dec. row—Work 1 hdc in first shell, repeat between *'s of first dec. row once, work 28 (30-32) shells; repeat between *'s of first dec. row once, work last shell, 32 (34-36) shells, ch 3, turn.

Row 29 — Work 1 hdc in first shell, work 31 (33-35) shells; 32 (34-36) shells, ch 3, turn.

Row 30—3rd dec. row—Work 1 hdc in first shell, repeat between *'s of first dec. row once, work 26 (28-30) shells; repeat between *'s of first dec. row once, work last shell—30 (32-34) shells, ch 3, turn.

Row 31 — Work 1 hdc in first shell, work 29 (31-33) shells; 30 (32-34) shells, ch 3, turn.

Row 32—4th dec. row—Work 1 hdc in first shell, repeat between *'s of first dec. row once, work 24 (26-28) shells; repeat between *'s of first dec. row once, work last shell; 28 (30-32) shells, ch 3, turn.

Row 33 — Work 1 hdc in first shell, work 27 (29-31) shells; 28 (30-32) shells, ch 3, turn. Work 7 (7-9) more rows even—15 (15-17) rows above armhole, ch 1, turn.

Neck Shaping—Work across 8 (9-10) shells for right shoulder, work a slip st in each of next 38 sts for neck, ch 3, work a hdc in same shell, work 7 (8-9) shells for left shoulder, ch 3, turn.

Neck dec. row—Work 5 (6-7) shells, repeat between *'s of first dec. row of back, work last shell; 7 (8-9) shells, ch 3, turn. Work 4 rows even. Fasten off.

Right Shoulder — Attach yarn in first shell at neck edge of right side, ch 3, work 1 hdc in ch 1 space of same shell, work a dec. in next 2 shells, work 5 (6-7) shells; 7 (8-9) shells, ch 3, turn. Work 4 rows even. Fasten off.

LEFT FRONT—Ch 46 (48-50). Work 1 sc in 2nd ch from hook and 1 sc in each st to end of ch; 45 (47-49) sc, ch 3, turn.

Pattern — Row 1 — Work same as pat. row 1 of back; 23 (24-25) shells, ch 3, turn. Work same as back to underarm, end at side edge.

Shape armholes same as for right side of back. Work even until 15 (15-17) rows above armhole, end at front edge.

Neck Shaping—Work 1 slip st in first 26 sts for neck, ch 3, work a hdc in ch 1 space of same shell, work 7 (8-9) shells, ch 3, turn.

Neck dec. row—Work 5 (6-7) shells, work a dec. in next 2 shells, work last shell; 7 (8-9) shells. Work 4 rows even. Fasten off.

RIGHT FRONT—Work same as left front to underarm—24 rows of shells, end at front edge, ch 3, turn.

Armhole—Work to within 3 shells of end of row, ch 3, turn. Work 1 row even.

Dec. row—Work to within 3 shells of end, work a dec. in next 2 shells, work last shell. Continue shaping armhole as for left side of back. Work even until 15 (15-17) rows above armhole, end at side edge, ch 3, turn.

Neck Shaping—Work 8 (9-10) shells, ch 3, turn.

Neck dec. row—Work 1 hdc in first ch 1 space, work a dec. in next 2 shells, work 5 (6-7) shells. Work 4 rows even. Fasten off.

FINISHING — Block pieces to measurements, see page 35. Weave shoulders and side seams.

ARMHOLE EDGING—Join yarn at underarm. From right side, work 60 (60-64) sc around armhole—about 1 sc in each space—, join with slip st.

Scallop row—Ch 3, work 4 hdc in next st, skip 1 sc, 1 sc in next sc, * skip 1 sc, 5 hdc in next sc, skip 1 sc, 1 sc in next sc; repeat around from *; 15 (15-16) scallops. Fasten off.

JACKET EDGING—Join yarn at lower edge of right front. From right side, work 39 (39-43) sc along right front edge to neck, 3 sc in corner, 73 sc around neck, 3 sc in corner, 39 (39-43) sc along left front to lower edge, 3 sc in corner, 166 (174-182) sc around lower edge of jacket, 2 sc in same st as first sc, join with slip st.

Work 1 row scallops around entire jacket same as for armholes. Fasten off.

LA VIE EN ROSE . . . No. 8505

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see body measurement chart,* page 35.

MATERIALS:		**Size 10-12**	**Size 14-16**
BEAR BRAND or FLEISHER'S SUPRA MOHAIR,	Color A —	7 balls	9 balls
	Color B —	2 balls	2 balls
or BUCILLA MIST-AIRE (Mohair and Wool)	Color A —	6 balls	8 balls
	Color B —	2 balls	2 balls
and BEAR BRAND or FLEISHER'S SUPRA MOHAIR, for embroidery	Color C —	1 ball	1 ball

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 7— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 sts = 1 inch

To check gauge, see page 35.

(Continued on Next Page)

LA VIE EN ROSE No. 8505 *(Continued from Page 16)*

MEASUREMENTS FOR BLOCKING:	To fit	30-32 in. Bust	34-36 in. Bust
Width at bustline	inches	37	41
Width of back at underarm	inches	17	19
Width of sleeves at underarm	inches	13	14

BACK—With A, cast on 86 (94) sts. Work stockinette st—p 1 row, k 1 row—until 9½ ins. from beg., end with p row. Mark for underarm.

Armholes—Bind off 4 sts at beg. of each of next 2 rows for underarm. Dec. 1 st each side every 2nd row 5 (7) times; 68 (72) sts. Work even until armholes measure 7¼ (7¾) ins. above underarm marker.

Shoulder Shaping—Bind off 8 sts at beg. of each of next 4 rows; 6 (8) sts at beg. of each of next 2 rows. Bind off 24 sts for back of neck.

LEFT FRONT—With A, cast on 50 (54) sts. Work even in stockinette st until same length as back to armholes, end with p row. Mark for underarm.

Armhole—Bind off 4 sts for underarm, finish row. Keeping front edge even, dec. 1 st at armhole edge every 2nd row 5 (7) times; 41 (43) sts. Work even until 6¼ (6¾) ins. above underarm marker, end with k row at front edge.

Neck and Shoulder Shaping—Bind off 13 sts for neck edge, finish row. Bind off 2 sts at neck edge every 2nd row 3 times, at the same time, when armhole is same length as on back, bind off 8 sts at beg. of rows worked from armhole edge twice; 6 (8) sts from same edge once.

RIGHT FRONT—Work to correspond to left front, shaping armhole, neck and shoulder at opposite sides.

SLEEVES—Cast on 60 (64) sts. Work stockinette st for 2½ ins. Inc. 1 st each side of next row. Repeat inc. each side every 2 ins. twice; 66 (70) sts. Work even until sleeve measures 9½ ins. from beg. Bind off 4 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 10 (12) times; every row 4 times. Bind off 3 sts at beg. of each of next 2 rows; 4 sts at beg. of each of next 2 rows. Bind off 16 sts.

BIAS BAND FOR JACKET—With B, cast on 10 sts. P 1 row.

Row 2—Inc. 1 st in first st, k to within 2 sts of end, k 2 tog.

Row 3—Purl. Repeat last 2 rows until band measures 78 ins. Bind off. Block, stretching to 83 ins.

BIAS BANDS FOR SLEEVE—Make same as bias bands for Jacket for 11 ins. Block to 12 ins. Make 2.

FINISHING—Sew seams. Sew in sleeves with sleeve seam at center underarm. Steam lightly. Sew bias band neatly around front, neck and lower edges of Jacket. Sew bands on lower edge of sleeves. Embroider as illustrated, see chart, page 26.

DAY OR DATE No. 8501 *(Continued from Page 13)*

Row 55—With B, same as row 1.
With B, p 1 row, k 1 row for 11 more rows, end with p row.

Rows 67 and 68—With A, same as rows 19 and 20.

Row 69—With C, same as row 1.
With C, p 1 row, k 1 row for 9 more rows.

Rows 79 and 80—With A, same as rows 19 and 20.

Row 81—With D same as row 1.
With D, p 1 row, k 1 row for 7 more rows.

Rows 89 and 90—With A, same as rows 19 and 20.

Row 91—With B, same as row 1.
With B, p 1 row, k 1 row for 5 more rows.
Work should measure about 11 inches from beginning.

For Size 14-16 only—Mark for underarm.

For Size 10-12 only—Work 2 more rows of A, and 4 more rows of C in pattern as established, mark for underarm.

Note: Extra length of armhole compensates for difference in length to underarm.

FOR ALL SIZES — Armholes — With A, work 2 rows in pattern, binding off 4 (5) sts at beg. of each row; 95 (105) sts.

Note: Stripes will continue in same sequence as established, with 4 rows only for each B, C, and D stripe to shoulder.

Dec. 1 st each side every 2nd row 4 (5) times; 87 (95) sts.

Work even in pat. until 3rd D stripe above underarm marker has been completed, end with p row.

NECK SHAPING — With A, work 26 (28) sts in pat., place on holder for right side, bind off 35 (39) sts for neck, work remaining 26 (28) sts in pat.

LEFT SIDE—Continuing in pat., dec. 1 st at neck edge every 2nd row 5 times; 21 (23) sts.

Work even in pat. until 4th B stripe above underarm marker has been completed, end with p row.
With A, work 2 more rows in pat. Bind off for shoulder.

RIGHT SIDE—Slip sts from holder to needle. From wrong side join A at neck edge and complete to correspond to left side, reversing shaping.

BACK NECK BAND—From right side, beg. at shoulder, with A pick up and k about 63 (67) sts evenly spaced around neck. K 1 row, p 1 row—p side will be right side—for 6 rows. Bind off.

FRONT—Work same as for back.

FINISHING—Sew shoulder seams.

ARMHOLE BANDS — From right side, beg. at underarm with A, pick up and k about 72 (78) sts evenly spaced around armhole. Work same as for neck bands.
Sew side seams. Fold neck and armhole bands in half and hem to wrong side. Block, see page 35.

BOUT



8500—Hooded Scarf—Page 21
8511—Head or Neck Scarf—Page 30
8510—Boot Stockings—Page 31
8522—Lacy Stole—Page 31

TOQUE

8507—Triangle Shawl—Page 32
8521—Dickey—Page 27
8526—Evening Bag—Page 23
8527—Eye Glass Case—Page 30
8523—T.V. Slippers—Page 21
8504—Afghan—Page 31



EVENING STAR

Sizes 10-12,

Instructions are for size 10-12, changes for size page 35.

MATERIALS: BUCILLA PARADISE, 1 oz. skeins.
CROCHET HOOK: "Boye" Steel Hook, Size 00—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
GAUGE: BLOCKED — 11 sts = 2 inches
To check gauge, see page 35.
MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....
Width of each front at bustline .....

Note: Back is same for both sizes.

BACK—Ch 100. Work 1 sc in 2nd ch from hook, 1 sc in each ch across; 99 sc.

Pattern — Row 1—wrong side—Ch 1, turn, 1 sc in each of first 4 sc, * ch 5, skip 3 sc, 1 sc in each of next 5 sc; repeat from *, end last repeat with 4 sc instead of 5 sc.

Row 2—right side—Ch 1, turn, 1 sc in each of 3 sc, * skip next sc, ch 3, 1 sc in center st of ch 5, ch 3, skip 1 sc, 1 sc in each of next 3 sc; repeat from * to end.

Row 3—Ch 1, turn, 1 sc in each of 2 sc, * ch 3, skip next sc, 1 sc under ch 3 of previous row, 1 sc in next sc, 1 sc under ch 3, ch 3, skip 1 sc, 1 sc in next sc; repeat from *, end 1 sc in last sc.

Row 4—Ch 1, turn, 1 sc in first sc, ch 3, * 1 sc under ch 3, 1 sc in each of next 3 sc, 1 sc under ch 3, ch 5, skip 1 sc; repeat from *, end last repeat ch 3 instead of ch 5, skip 1 sc, 1 sc in last st.

Row 5—Ch 1, turn, 1 sc in first sc, 1 sc under ch 3, ch 3, skip 1 sc, 1 sc in each of next 3 sc, ch 3, skip 1 sc, * 1 sc in center st of ch 5, ch 3, skip 1 sc, 1 sc in each of next 3 sc, skip 1 sc, ch 3, repeat from *, end, 1 sc under ch 3, 1 sc in last st.

Row 6—Ch 1, turn, 1 sc in each of 2 sc, * 1 sc under ch 3, ch 3, skip 1 sc, 1 sc in next sc, skip 1 sc, ch 3, 1 sc under ch 3 of previous row, 1 sc in next sc; repeat from *, end 1 sc in last sc.

Row 7—Ch 1, turn, 1 sc in each of 3 sc, * 1 sc under ch 3, ch 5, skip 1 sc, 1 sc under ch 3, 1 sc in each of next 3 sc; repeat from * to end.

Repeat rows 2 through 7 for pat. Work even until about 12 ins from beg., end with pat. row 5 on wrong side. Mark for underarm.

..No. 8508

14-16

14-16 are in parentheses, *see body measurement chart,*

Size 10-12	Size 14-16
8 skeins	9 skeins

9 rows = 2 inches

To fit	30-32 in. Bust	34-36 in. Bust
.....inches	37½	40½
.....inches	18	18
.....inches	9¾	11¼

Armholes—Turn, slip st across first 2 sc, the ch 3 and next 3 sc; work 1 sc under next ch 3, 1 sc in next sc; repeat from * of row 6 until 10 full patterns, end 1 sc under next ch 3—1 full pattern omitted from each side; 83 sts.
Work even until about 8 ins. above marker, end with pat. row 5 on wrong side. Fasten off.

LEFT FRONT—Ch 52 (60). Work same as for back until same length as back to underarm, end with pat row 5 on wrong side. Mark for underarm. Keeping front edge even, shape armhole same as for right side of back; 5 (6) pats. Work even until 6 ins. above underarm marker, end on right side with pat. row 2. Fasten off.

Neck Shaping—wrong side—Skip 2 (3) patterns, join yarn at beg. of 3rd (4th) group of 3 sc of previous row. Work as for row 3 to end.
Work 8 rows even, end with pat row 5. Fasten off.

RIGHT FRONT—Work same as left front reversing shaping.

FINISHING—Sew side and shoulder seams matching patterns.

CROCHET BORDER — Row 1—From right side, beg. at lower edge of right front, with care to keep flat, work 1 row of sc along right front edge; work 3 sc in corner, sc around neck edge, holding in to fit, 3 sc in corner at left front neck edge, work along left front edge to correspond to right front. Fasten off.

Row 2—From right side, work 1 sc in each of first 2 sc of last row, * 1 sc in next sc, ch 2, 1 sc in top of sc just made —a picot—1 sc in each of next 2 sc; repeat from * around entire jacket. Join with a slip st in first st.
Work 2 rows of border around armholes.
Block, see page 35.

T. V. SLIPPERS No. 8523 *(Shown on Page 19)*

Medium Size

MATERIALS: **BEAR BRAND or FLEISHER'S BIG SPICE,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S GIGANTIC, 2 oz. skeins—2 skeins.
1 yd. Round Elastic.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 11—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 3 sts = 1 inch **6 rows = 2 inches**
To check gauge, see page 35.

Cast on 25 sts.
Row 1—K 8, p 1, k 7, p 1, k 8.
Row 2—right side—K.
Repeat these 2 rows until 5 ins. from beg.; end on wrong side. Place marker for beg. of toe.

TOE—Row 1—K 1, slip, k and pass, k 5, slip, k and pass, k 5, k 2 tog., k 5, k 2 tog., k 1; 21 sts.
Row 2—P 2, k 5, p 1, k 5, p 1, k 5, p 2.
Row 3—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; 19 sts.
Row 4—P 2, k 4, p 1, k 5, p 1, k 4, p 2.
Row 5—K 1, slip, k and pass, k 3, slip, k and pass, k 3, k 2 tog., k 3, k 2 tog., k 1; 15 sts.
Row 6—P 2, k 3, p 1, k 3, p 1, k 3, p 2.
Row 7—Same as row 3; 13 sts.
Row 8—P 2, k 2, p 1, k 3, p 1, k 2, p 2.
Row 9—Same as row 3; 11 sts.
Row 10—P 2, k 1, p 1, k 3, p 1, k 1, p 2.
Fasten off yarn, leaving a 12 in. end. Draw end through all 11 sts twice and pull up tightly to close toe. Sew up side edges of toe to marker. Fasten off. Fold cast-on edge in half and sew edge tog. for back of heel, gathering the center sts securely. Steam. Pull elastic through top edge of slipper.
Make pom-pon from remaining yarn if desired and sew on front of slippers as illustrated.

HOODED SCARF No. 8500 *(Shown on Page 18)*

MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR or BUCILLA MIST-AIRE** (Mohair and Wool), 2 balls.
and BEAR BRAND or FLEISHER'S SPICE, 2 oz. skeins,
1 skein for Hooded Scarf; 1 skein for Pom-pon.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 13—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: Stockinette St — 11 sts = 4 inches **15 rows = 4 inches**
To check gauge, see page 35.

Entire Hooded Scarf is made with 1 strand of each yarn.
With 1 strand of each yarn, cast on 18 sts. P 1 row, k 1 row for 59 rows—about 16 ins., end on wrong side.

Inc. row—K 2, * inc. 1 st in next st, k 3; repeat from * 3 times; 22 sts.

Pattern—Row 1—P 8, k 2, p 8, k 4.

Row 2—K 2, p 2, * slip next 2 sts to hook, hold at **back** of work, k next 2 sts, k 2 sts from hook, slip next 2 sts to hook, hold at **front** of work, k next 2 sts, k 2 sts from hook *; p 2; repeat between *'s once.
Mark end of row for front of hood.

Row 3—Same as row 1.

Row 4—K 2, p 2, k 8, p 2, k 8.
Repeat last 4 rows for pat. until there are 19 cable twist rows in all. Work 1 row even after last cable twist row.

Dec. row—K 2, * k 2 tog., k 3; repeat from * 3 times; 18 sts.
P 1 row, k 1 row for 59 rows. Bind off as to k.
Mark 10th cable twist for center of hood.

BACK OF HOOD—With 1 strand of each yarn, beg. in 7th ridge from center marker, pick up and k 1 st in end st of each of next 15 ridges; 15 sts. P 1 row, k 1 row for 17 rows—about 6 ins. K 1 row, decreasing 4 sts evenly spaced across row; 11 sts.

Ribbing—Row 1—K 1, * p 1, k 1; repeat from * to end.
Row 2—right side—P 1, * k 1, p 1; repeat from * to end.
Work 3 more rows of ribbing. Bind off in ribbing.

FINISHING—Sew side edges of back of hood to edge of scarf. Steam lightly, see page 35. If desired, make 2 Pom-pons. Draw up each end of scarf and sew 1 pom-pon to each end of scarf.



ELEGANCE . . . No. 8502

Approximate Size 20 by 64 inches

MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR,** 9 balls
or BUCILLA MIST-AIRE (Mohair and Wool), 8 balls

KNITTING NEEDLES: 1 pair "Boye" Knitting Needles, Size 11 OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Crochet Hook, Size 1.

GAUGE: 6 sts = 2 inches **9 rows = 2 inches**
To check gauge, see page 35.

Cast on 61 sts.

Row 1—K 1, * p 1, k 1; repeat from * to end.

Repeat this row for seed st until 64 ins. from beg.—about 288 rows. Bind off in seed st.

FRINGE—With size I hook, from right side, join yarn at corner, insert hook in first st, * ch 20, skip 1 st, work 1 slip st in next st; repeat from * across end of stole. Fasten off.

Work same fringe on other end.

SHELL No. 8524 *(Shown on Front Cover and Page 34)*

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see body measurement chart,* page 35.



(See Page 34)

	Size 10-12	Size 14-16
MATERIALS: BUCILLA BROCADE	8 balls	9 balls
BUCILLA GLAMOUR TRIM KIT No. 3804 (Optional)	1 kit	1 kit

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 6—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Crochet Hook, Size 1.

GAUGE: KNITTED GAUGE — 7 sts = 1 inch 10 rows = 1 inch
BLOCKED GAUGE — 6 sts = 1 inch 9 rows = 1 inch
To check gauge, see page 35.

Note: A swatch should be worked in pat. and **blocked** before beg. shell to make sure that your blocked gauge agrees with blocked gauge given above.

MEASUREMENTS FOR BLOCKING:	**To fit**	**30-32 in. Bust**	**34-36 in. Bust**
Width at bustline	inches	34½	38½
Width of back at underarm	inches	17¼	19¼
Width of back—armhole to armhole	inches	14½	16
Length from lower edge to underarm	inches	11½	11
Length from lower edge to shoulder	inches	19	19
Width of each shoulder	inches	3½	4

Pattern is a multiple of 4 sts.

Row 1—wrong side—* K 2, p 2; repeat from * to end.

Row 2—* P 2, k 2; repeat from * to end.

Row 3—* P 2, k 2; repeat from * to end.

Row 4—* K 2, p 2; repeat from * to end.

Repeat these 4 rows for pat.

Note: Mark first row of each piece for wrong side.

BACK—Cast on 104 (116) sts. Work in pat. for 104 (98) rows—about 10½ (10) ins., to be blocked to 11½ (11) ins.—end on right side with pat. row 4 (2). Mark for underarm.

Note: Extra length of armholes compensates for difference in length to underarm.

Armholes—Bind off 4 (6) sts at beg. of each of next 2 rows; 96 (104) sts. Work 1 row even.

Dec. row—With care to keep pat., work first 2 sts, work next 2 sts tog., work to within 4 sts of end, work next 2 sts tog., work last 2 sts; 94 (102) sts. With care to keep pat., repeat last 2 rows 3 times; 88 (96) sts. Work even in pat. until 42 (48) rows above marker, end on right side.

Neck Shaping — Work 26 (28) sts, place on holder for left side, bind off 36 (40) sts for neck, work remaining 26 (28) sts.

Right Side — With care to keep pat., dec. 1 st at neck edge in same manner as for armhole shaping, every 2nd row 4 times; 22 (24) sts. Work even for 17 rows.
Bind off for shoulder.

Left Side — Slip sts from holder to needle. Join yarn at neck edge and complete to correspond to right side, reversing shaping.

FRONT—Work same as back.

FINISHING — Block pieces to measurements, see page 35. Sew side and shoulder seams.
Work 1 row sc around neck, armholes and lower edge, with care to keep work flat.
Use **BUCILLA GLAMOUR TRIM KIT** for embroidery.

CROCHETED EVENING BAG No. 8526

(Shown on Front Cover and Page 19)

MATERIALS: BUCILLA BROCADE, 2 balls.
1 Cosmetic bag with slide fastener—7½ by 5½ inches deep, for lining.

CROCHET HOOK: "Boye" Steel Hook, Size 0—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 clusters = 2 inches
To check gauge, see page 35.

Ch 38.

Row 1—Work 1 sc in 2nd ch from hook, 1 sc in each of next 36 ch; 37 sc, ch 1, turn.

Row 2—Work 1 sc in each st across row; 37 sc, ch 1, turn.

Row 3—Same as row 2, **ch 2,** turn.

Row 4—Cluster row—Work 1 hdc in 2nd sc from hook, † yo, insert hook into next sc and draw up a loop, * yo, insert hook in **same** sc and draw up a loop, repeat from * 3 times; 11 loops on hook, yo, pull thru all loops on hook —cluster made; work 1 hdc in next sc †; repeat between †'s across row—17 clusters, 1 hdc in last sc, ch 1, turn.

Rows 5 and 6—Same as row 2.

Row 7—Same as row 3.

Repeat rows 4 through 7, 6 times. Fasten off.

Block, see page 35.

Fold piece in half. Sew sides. Fold in edges along top of crocheted bag and hem to cosmetic bag.

HANDLE—Ch 25, join forming a ring, work 25 sc in ring. Attach to slide fastener.



MATINEE... No. 8509

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for size 14-16 are in parentheses, *see body measurement chart,* page 35.

		Size 10-12	Size 14-16
MATERIALS: BUCILLA RUBAN d'ART,	Color A —	4 spools	5 spools
BUCILLA BROCADE,	Color B —	2 balls	3 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 7— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Crochet Hook, Size 00.

GAUGE: KNITTED GAUGE — 5 sts = 1 inch
BLOCKED GAUGE — 9 sts = 2 inches
To check gauge, see page 35.

(Continued on Next Page)

MATINEE No. 8509 *(Continued from Page 24)*



Actual size of pattern stitch before blocking.

Note: Always work through back loop of k sts.

BACK—With A cast on 78 (86) sts. P back. Work in stockinette st, k 1 row, p 1 row for 4 rows. With B—k 1 row, p 1 row for 4 rows. With A—k 1 row, p 1 row for 6 rows. Repeat last 10 rows 3 times. With B—k 1 row, p 1 row for 4 (2) rows.

Armholes—Bind off 4 (5) sts. at beg. of each of next 2 rows. Continue in stripes of 4 rows B and 6 rows A, decreasing 1 st. each side every 2nd row 2 (3) times; 66 (70) sts. Work even until 9th B stripe has been completed. With A, k 1 row, p 1 row.

Shoulder Shaping—Bind off 10 (11) sts. at beg. of next 4 rows; 26 sts. Bind off.

FRONT—Work front same as back until 5th row of 5th A stripe from beg. has been completed.

Dividing row for Neck—P 33 (35) sts. and place on holder for right side of neck. P remaining 33 (35) sts.

Neck Shaping—Working left side only, continuing stripe pattern, dec. 1 st at neck edge every 2nd row 13 (13) times, **at the same time,** when side edge is same length as back, shape armhole same as left side of back. When armhole measures same as back bind off 10 (11) sts from armhole edge twice.

FINISHING—Block pieces to measurements given on chart, see page 33. Sew shoulder and side seams.

CROCHETED BORDER—From right side, with A, work 3 rows sc around neck, armholes and lower edge. Turn to right side and hem.

NIGHT AND DAY No. 8514 *(Continued from Page 8)*

Armhole—Ch 1, turn, work a slip st in each of 5 sc, ch 3, work 1 dc in 2nd and each sc to end.

Raglan Shaping—Row 1—Work 1 sc in each st to within 3 sts of end, work a dec. in next 2 sts, 1 sc in last st.

Row 2—Ch 3, turn, work a dc in 2nd st, dec. in next 2 sts, finish row. Repeat last 2 rows 7 (8) times, row 1 once more, 26 (26) sts.

Continue in pat. on these 26 (26) sts for 6 rows more for back half of collar and facing. Fasten off.

RIGHT FRONT—Work same as for left front to underarm, end with pat. row 2 at front edge.

Armhole—Work pat. row 1 to within 5 sts of end.

Raglan Shaping—Row 1—Ch 1, turn. Work 1 sc in first st, work a dec. in next 2 sts, finish row.

Row 2—Ch 3, turn, work in pat to within 3 sts of end, work a dec. in next 2 sts, 1 dc in last st. Repeat last 2 rows 7 (8) times; 26 (26) sts. Work 6 rows more. Fasten off.

SLEEVES—Ch 50 (54). Work same as for back for 3 rows.

First inc. row—Work 1 sc in first st, inc. in next st by working 2 sc in same st, work to within 2 sts of end, inc. in next st, 1 sc in last st. Work 1 row dc. Repeat last 2 rows 3 times; 56 (60) sts. Work even in pat. for 5 rows, end with pat. row 2. Shape armholes and raglan same as for back; 12 sts. Fasten off.

FINISHING—Block pieces to measurements given on chart, see page 33. Sew raglan, side and sleeve seams. Sew ends of collar tog. With seam at center back of neck, sew inside edge of collar to back of neck. Turn back 13 sts of fronts and collar for facings, and hem to wrong side. Work 1 row sc around lower edges of jacket and sleeves.



Actual size of pattern stitch before blocking.

GLAMOUR SHELL No. 8531 *(Continued from Page 9)*

neck edge to shoulder; 64 sts. K next row on wrong side for ridge, inserting needle in back loop of each st. K 1 row, p 1 row for 5 rows. K next row on wrong side for turning ridge, inserting needle in back loop of each st. K 1 row, p 1 row, k 1 row, p 1 row. Bind off loosely.

FRONT—Join yarn at neck edge at left shoulder and work same as for back. Sew shoulder seams, sewing side edges of neck hems tog.

ARMHOLE BORDER and FACING—From right side, join yarn at underarm edge, pick up and k 78 (82-86) sts around armhole. Finish same as for neck.

FINISHING — Sew underarm seams. Turn back all facings along turning ridges and hem to wrong side. Soufflé needs no blocking, see page 35.

Use **BUCILLA GLAMOUR TRIM KIT** for embroidery.





FLOWER AND BUD - COLOR C

STEMS AND LEAVES - COLOR B

TRACE DESIGN ON TISSUE PAPER.
BASTE TO CARDIGAN AS ILLUSTRATED OR AS DESIRED.
EMBROIDER OVER TISSUE. TEAR OFF TISSUE.

EMBROIDERY CHART
for Style No. 8505

(Shown on Page 16)

GOLF MITTS...No. 8530

MATERIALS: BEAR BRAND DELUXE KNITTING WORSTED or FLEISHER'S SUPERIOR KNITTING WORSTED, Color A, 4 oz. skeins—1 skein and Contrasting Color for Embroidery, Color B, about 15 yards.

KNITTING NEEDLES: 1 Pair "Boye" Needles, Size 6—OR SIZE YOU REQUIRE TO OBTAIN GAUGE. "Boye" Crochet Hook Size F (4).

GAUGE: Stockinette St — 5 sts = 1 inch 7 rows = 1 inch
To check gauge, see page 35.



With A, cast on 44 sts. Work k 2, p 2 ribbing for 3 ins.

First dec. row—right side—* K 2, p 2 tog.; repeat from * to end; 33 sts.

Next row—* K 1, p 2; repeat from * to end.

Next row—* K 2, p 1; repeat from * to end.

Repeat these 2 rows 4 times.

Inc. row—wrong side—Inc. 1 st in first st, p 2, * inc. 1 st in next st, p 2; repeat from * to end; 44 sts. Work k 2, p 2 ribbing for 6 rows. K 1 row and continue stockinette st until 20 rows above ribbing, end on wrong side. Work k 2, p 2 ribbing for 6 rows.

Top Shaping—Repeat first dec. row; 33 sts. P 1 row.

2nd dec. row—K 2 tog. 16 times, k 1; 17 sts. P 1 row.

3rd dec. row—K 2 tog. 8 times, k 1. Break yarn, leave 24-in. end.

Run end through 9 sts. Insert hook in last st and draw up a loop, drawing yarn up tight, ch 8; join with a slip st in 5th st of last k row. Ch 1, turn, slip st in each ch. Fasten off and run yarn through 9 sts of last k row again. Make 4 mitts. With 2 strands of B, embroider 1 numeral in duplicate st at center of stockinette st section of each mitt as shown on chart.



Cord—With 2 strands of A, ch 15 ins. Fasten off.

FINISHING—Block, see page 35. Sew seam, matching pat. Run ends of cord through loops at top of No. 2 and No. 3 mitt, tie knots with 4½ ins. at center of cord between mitts. Knot mitt No. 1 and No. 4 in numerical order at ends of cord; sew knots securely.

DICKEY No. 8521 *(Shown on Page 19)*

MATERIALS: BUCILLA ALPACA-MIST, 1 oz. balls, 2 balls.
KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
GAUGE: 9 sts = 2 inches 6 rows = 1 inch
To check gauge, see page 35.

BACK—Cast on 50 sts. K 4 rows for garter st border.

Row 5—K 2, p 46, k 2.

Row 6—right side—K all sts.

Repeat last two rows until 9½ ins. above garter st border.

Shoulder Shaping—Bind off 14 sts at beg. of each of next 2 rows; 22 sts.

Neck Ribbing—Work k 1, p 1 ribbing for 26 rows. Bind off loosely in ribbing.

FRONT—Work same as back until 8 ins. from beg., end on right side.

Neck Shaping — Row 1 — Dividing row — K 2, p 16, place these 18 sts on holder for right side, p next 14 sts and place on holder for neck, p 16, k 2; 18 sts for left side.

Continue on left side, keeping 2 sts in garter st at outer edge, dec. 1 st at neck edge every 2nd row 4 times. Work 4 rows even. Bind off remaining 14 sts for shoulder.

Slip 18 sts of right side to needle, join yarn at neck edge and complete to correspond to left side.

Neck Ribbing — wrong side — Slip 14 sts of neck to needle; from right side, with free needle, beg. at top of left neck edge, pick up and k 14 sts along left neck edge, k 14 neck sts, pick up and k 14 st along right neck edge to top; 42 sts. Work k 1, p 1 ribbing for 26 rows. Bind off loosely in ribbing.

FINISHING—Sew shoulder seams. Sew side edges of ribbing tog. so that seam will be on the wrong side when ribbing is turned down. Steam lightly, see page 35.

TURBAN WITH BOW No. 8513-A

MATERIALS: **BUCILLA or FLEISHER'S IMPORTED FRENCH ANGORA,** 4 balls.
1½ yds. Round Elastic.

CROCHET HOOK: Size G (5)—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 9 sc = 2 inches 9 rows = 2 inches
To check gauge, see page 35.

Ch 8.

Row 1—Work 1 sc in 2nd ch from hook and in each remaining ch; 7 sc.

Row 2—Inc. Row—Ch 1, turn, 2 sc in first sc—an inc.—, 1 sc in each sc to within 1 sc of end, 2 sc in last sc; 9 sc.

Row 3—Ch 1, turn, 1 sc in each sc.
Repeat last 2 rows 6 times; 21 sc. Repeat row 3 until 20 ins. from beg.

Dec. Row—Ch 1, turn, draw up a loop in each of first 2 sc, yo and through all 3 loops on hook—a dec.—, 1 sc in each sc to within 2 sc of end, dec. 1 sc as before; 19 sc. Work 1 row even.
Repeat last 2 rows 6 times; 7 sc. Fasten off, leaving a 10-in. end for sewing.

(Continued on Page 29)

No. 8513-A

HEAD SCARF No. 8528

MATERIALS: **BUCILLA or FLEISHER'S IMPORTED ANGORA,** 3 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 4 sts = 1 inch 11 rows = 2 inches
To check gauge, see page 35.

Cast on 3 sts for center of front edge of garter st border.

Row 1—wrong side—Inc. 2 sts in each of first 2 sts, k 1; 7 sts.

Row 2—K 1, inc. 1 st in each of next 4 sts, k 2; 11 sts.

Row 3—K 6, place marker on needle for center seam, k 5. Slip marker every row.

Row 4—K 1, inc. 1 st in next st, k to within 1 st of marker, inc. 1 st in each of next 2 sts, slipping marker, k to within 3 sts of end, inc. 1 st in next st, k 2; 15 sts.

Row 5—K 3 for garter st border on side edge, p to within 3 sts of end, k 3 for garter st. Repeat rows 4 and 5, 22 times; repeat row 4 again; 107 sts; 50 rows from beg.—about 9 ins. measuring at center of one side edge up to center seam.

TIE STRINGS—With another piece of yarn, make a slip loop on same needle with the 107 sts, using both ends of yarn, cast on 26 sts for tie string.

Next row—K these 26 sts; k to end for garter st border on back edge; cast on 26 sts on free needle with another end of yarn and k these 26 sts onto same needle with other sts; 159 sts.

Next row—K increasing 2 sts at center seam only; 161 sts. K 1 row. Bind off.

No. 8528

CATCHERS...

No. 8513-B

No. 8512

TURBAN WITH BOW No. 8513-A

Continued from Page 28)

FINISHING—Sew short ends tog. neatly. From right side, beg. at seam, work 1 row sc over elastic, around each edge. Fasten off. Tie ends of elastic, drawing up to fit and sew to wrong side.

BOW—Using 2 strands of Angora throughout, ch 4.

Row 1—Work 1 sc in 2nd ch from hook and in each remaining ch; 3 sc.

Inc. 1 st each side every 2nd row twice in same manner as for turban; 7 sc. Work even in sc until 2½ ins. from beg.

Next Row—Dec. 1 sc each side.

Work 1 row even.

Repeat last 2 rows once; 3 sc. **Do not break yarn.** Work 1 row sc around entire piece. Fasten off. Gather center and sew to front of turban as illustrated.

BAND No. 8513-B

MATERIALS: **BUCILLA or FLEISHER'S IMPORTED FRENCH ANGORA,** 3 balls.
1¼ yds. Round Elastic.

CROCHET HOOK: Size G (5)—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 9 sc = 2 inches 9 rows = 2 inches
To check gauge, see page 35.

Ch 8. Work same as for turban until 15 ins. from beg.

Dec. Row—Same as for turban.

Complete as for turban.

FINISHING—Same as for turban, omitting bow.

HAIR BOW No. 8512

MATERIALS: **BUCILLA or FLEISHER'S IMPORTED FRENCH ANGORA,** 2 balls.
Pellon or Grosgrain ribbon 3 inches wide by 24 inches long for lining.
1—2 inch Plastic Grip Comb.

KNITTING NEEDLES: 1 pair "Boye" Knitting Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 5 sts = 1 inch
To check gauge, see page 35.

TIE FOR BOW—Cast on 8 sts. Work stockinette st —p 1 row, k 1 row—for 2 ins. Bind off.

STRIP FOR BOW—Cast on 21 sts.

Row 1—P.

Row 2—right side—K 2 tog., k to within 1 st of end, inc. 1 st in last st; 21 sts. Repeat these 2 rows until 21 ins. from beg., slightly stretched, measuring at center, end with p row. Bind off.

FINISHING—If necessary, cut lining to measure 24 ins. long by 3 ins. wide. Place knitted strip on lining and cut ends of lining on the bias to match ends of knitted strip. Line strip folding ¼ in. of knitted strip over lining at sides. Sew bias ends tog. forming a ring. With seam on wrong side at center, wrap tie around ring at center forming a bow and sew ends of tie tog. securely on wrong side. Sew comb on wrong side at center.

HEAD OR NECK SCARF No. 8511 *(Shown on Page 18)*

MATERIALS: BUCILLA or FLEISHER'S IMPORTED FRENCH ANGORA, 5 balls.
KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
GAUGE: Seed St — 11 sts = 2 inches 15 rows = 2 inches
To check gauge, see page 35.
MEASUREMENTS FOR BLOCKING:
Length 34½ inches
Width at center 8 inches

BAND—Cast on 7 sts.

Row 1—K 1, * p 1, k 1; repeat from * to end.
Repeat row 1 for seed st until 2 ins. from beg. Bind off in pat.

SCARF—Cast on 1 st.
Row 1—Inc. 2 sts by knitting in front, back and front of the st; 3 sts.
Row 2—K 1, p 1, k 1 for seed st.

Note: Always work inc. as a k st.
Row 3—Inc. 1 st in first st, p 1, k 1; 4 sts.
Continue to inc. in first st of every row with care to keep seed st pat. until there are 31 sts on needle. Mark for end of shaping.
Work even in seed st until 9 ins. from beg.; 38 rows even. Mark for end of first even section. Inc. 1 st at beg. of each of next 2 rows, as before, keeping pat. * Work 4 rows even. Inc. 1 st at beg. of each of next 2 rows. Repeat last 6 rows from * 4 times; 43 sts. Mark for end of shaping. Work even until 21 ins. from beg.; k 2 tog. at beg. of each of next 2 rows, keeping pat. * Work 4 rows even. K 2 tog. at beg of each of next 2 rows. Repeat last 6 rows from * 4 times more; 31 sts. Mark for end of shaping.
Work even for 38 rows. With care to keep pat., k 2 tog. at beg of next 30 rows; 1 st. Fasten off. Steam lightly, see page 35.

FINISHING—Run basting thread across scarf at end of first even section. Run 2nd basting across even section 2 ins. from first basting. Sew ends of band at center of even section along line of bastings. Band is on right side of scarf. Make box pleat under band by tacking together on wrong side, the 10th st from each edge of scarf on line of bastings at each end of band. Turn back 4 sts on each edge to wrong side between bastings and tack edges to 8th st from edge on line of each basting. When worn, opposite end of scarf is drawn through band, as illustrated. Scarf may be worn as a cap or around neck.

CROCHETED EYEGLASS CASE No. 8527 *(Shown on Page 19)*

MATERIALS: BUCILLA BROCADE, 1 ball.
Eyeglass case with rounded corners or
Felt for lining.
CROCHET HOOK: "Boye" Steel Crochet Hook, Size 0—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
GAUGE: 5 clusters = 2 inches
To check gauge, see page 35.

Round 1—Ch 11, 2 sc in 2nd ch from hook, 1 sc in each of next 8 ch, 3 sc in last ch; working along other side of foundation ch, work 1 sc in each of next 8 ch, 1 sc in same ch as first 2 sc, join to first sc with slip st; 22 sc.

Round 2—Ch 1, work 2 sc in first sc, 1 sc in each of next 10 sc, 3 sc in next sc, 1 sc in each of next 10 sc, 1 sc in same sc as first sc, join with slip st; 26 sc.

Round 3—Ch 1, work 1 sc in each sc, join with slip st.

Round 4—Ch 1, work 2 sc in first st, 1 sc in each of next 11 sc, 2 sc in each of next 2 sc, 1 sc in each of next 11 sc, 2 sc in next sc, join with slip st; 30 sc.

Rounds 5 and 6—Same as round 3.

Round 7—Cluster round—Ch 2, work 1 hdc in 2nd sc from hook, ** 1 hdc in next sc, yo, insert hook into next sc and draw up a loop, * yo, insert hook in **same** sc and draw up a loop; repeat from * 3 times, 11 loops on hook, yo draw through all loops on hook **—1 cluster made—, repeat between **'s 5 times, 1 hdc in each of next 3 sc, repeat between **'s 6 times, 1 hdc in each of last 2 sc, join with slip st in 2nd ch of ch 2 at beg. of row.

Round 8—Ch 1, work 1 sc in each hdc and in top of each cluster; 30 sc, join with slip st.

Rounds 9 and 10—Ch 1, work 1 sc in each sc of previous row, join with slip st.
Repeat rounds 7 through 10—4 times.
Repeat rounds 8 through 10 once.

Divide for Top—Row 1—Ch 1, work 1 sc in each of next 15 sc.

Row 2—Dec. row—wrong side— Ch 1, turn. Draw up a loop in each of next 2 sts, 3 loops on hook, yo hook and through all 3 loops—a dec.; work 1 sc in each sc to within 2 sts of end—dec. in last 2 sts; 13 sc.
Row 3—Work 1 sc in each sc.
Row 4—Same as row 2; 11 sc.
Row 5—Same as row 3.

FACING—Row 1—Work 1 sc in back loop only of each st for turning ridge.
Row 2—Ch 1, work 2 sc in first sc—an inc.—work 1 sc in each sc to within 1 sc of end, work 2 sc in last sc; 13 sc.
Row 3—Same as row 2; 15 sc.
Row 4—Ch 1, work 1 sc in each sc. Fasten off.
From right side join Brocade to beg. of last **round** and work other side of top to correspond.

FINISHING—Turn facings to inside and sew outer edges.
Line with felt if desired, or slip over fabric or plastic eyeglass case and tack through 3 thicknesses.

BOOT STOCKINGS No. 8510 *(Shown on Page 18)*

MATERIALS: **BEAR BRAND or FLEISHER'S SPICE,** A, 2 oz. skeins, 2 skeins; **BEAR BRAND or FLEISHER'S "SHETLAND AND WOOL",** B, 2 oz. skeins, 1 skein.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—OR SIZE YOU REQUIRE TO OBTAIN GAUGE. 1 pair "Boye" Needles, Size 7.

GAUGE: Pattern — 5 sts = 1 inch 5 rows = 1 inch

To check gauge, see page 35.

Pattern—Row 1—right side—With size 10½ needles, k 2 A, join B, * k 1 B, k 3 A; repeat from * across row, end last repeat k 2 A.

Note: Carry yarn not in use across on wrong side of work with care not to draw up too tightly.

Row 2—P 2 A, * p 1 B, p 3 A; repeat from * across row, end last repeat p 2 A.

Row 3—K 1 A, * k 1 B, k 1 A; repeat from * to end.

Row 4—P 1 A, * p 1 B, p 1 A; repeat from * to end.

Row 5—K 1 B, * k 3 A, k 1 B; repeat from * to end.

Row 6—P 1 B, * p 3 A, p 1 B; repeat from * to end.

Row 7—Same as row 3.

Row 8—Same as row 4.

With size 10½ needles and A, cast on 61 sts. P 1 row, k 1 row for 6 rows for facing. K next row inserting needle in back of sts for turning ridge. With A and B, work in pattern until about 18 ins. above turning ridge, ending on wrong side.

With care to keep pat., dec. 1 st at beg. and end of next row and repeat decs. every 4th row 9 times; 41 sts.

Work even until about 26 ins. above turning ridge, end on wrong side with pat. row 2. Break B.

With size 7 needles and A, k 1 row dec. 1 st at end of row; 40 sts. Work k 1, p 1 ribbing for about 2½ ins. Bind off loosely in ribbing.

FINISHING—Sew back seam. Turn back facing and hem to wrong side leaving a ½ in. opening for elastic. Block, see page 35. Insert elastic in top hem.

MOHAIR AFGHAN No. 8504 *(Shown on Page 19)*

Approximate Size 72 by 40 inches

MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR,** 16 balls.

KNITTING NEEDLES: 1 Pair "Boye" Needles, Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 7 sts = 2 inches

To check gauge, see page 35.

Cast on 134 sts. K for 6 rows.

Pattern—Row 1—K 5, * yo, k 2, slip, k and pass, k 2 tog., k 2, yo, k 1; repeat from * 13 times, k last 3 sts.

Row 2—K 4, p 126, k 4.

Row 3—K 4, * yo, k 2, slip, k and pass, k 2 tog., k 2, yo, k 1; repeat from * 13 times, k last 4 sts.

Row 4—Same as row 2.

Repeat these 4 pattern rows until 66 patterns are completed. K 5 rows. Bind off loosely.

Block, see page 35.

LACY STOLE No. 8522 *(Shown on Page 18)*

Approximate Size 20 by 60 inches

MATERIALS: **BEAR BRAND or FLEISHER'S SUPRA MOHAIR,** Color A, 4 balls, Color B, 1 ball, Color C, 1 ball.

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 4 sts = 1 inch

To check gauge, see page 35.

MEASUREMENTS FOR BLOCKING: 20 inches by 60 inches, excluding fringe

With size 10 needles, cast on 81 sts.

Pattern—Row 1—K 1, p 79, k 1.

Row 2—K 1, * yo, k 2, slip, k 2 tog., pass (pass sl st over the k 2 tog), k 2, yo, k 1; repeat from * 9 times.

Row 3—Same as row 1.

Row 4—K 2, yo, k 1, slip, k 2 tog., pass, k 1, yo; * k 3, yo, k 1, slip, k 2 tog., pass, k 1, yo; repeat from * 8 times; k last 2 st.

Row 5—Same as row 1.

Row 6—K 3, yo, slip, k 2 tog., pass; * yo, k 5, yo, slip, k 2 tog., pass; repeat from * 8 times; yo, k 3.

Row 7—Same as row 1.

Row 8—K 1, k 2 tog., k 1, yo, k 1, yo; * k 2, slip, k 2 tog., pass, k 2, yo, k 1, yo; repeat from * 8 times; k 1, k 2 tog., k 1.

Row 9—Same as row 1.

Row 10—K 1, k 2 tog., * yo, k 3, yo, k 1, slip, k 2 tog., pass, k 1; repeat from * 8 times, yo, k 3, yo, k 2 tog., k 1.

Row 11—Same as row 1.

Row 12—K 2 tog., yo, k 5, yo, * slip, k 2 tog., pass, yo, k 5, yo; repeat from * 8 times; k last 2 sts tog.

Repeat these 12 rows once.

With B, repeat 12 rows of pat. once.
With C, repeat 12 rows of pat. once.
With B, repeat 12 rows of pat. once.
With A, repeat 12 rows of pat. **14 times.**
With B, repeat 12 rows of pat. once.
With C, repeat 12 rows of pat. once.
With B, repeat 12 rows of pat. once.
With A, repeat 12 rows of pat. twice.
Bind off loosely.

FRINGE — Wind B around a 4" cardboard; cut at one end. Knot one strand of fringe in each st across each end of stole.

Steam lightly, see page 35. Trim ends evenly.

HARLEQUIN No. 8525 *(Continued from Page 3)*

Repeat last 2 rows 25 (26-27) times. Slip remaining 28 (30-32) sts to a holder.
Wind 2 balls A and 1 ball B.
Note: When changing colors, always pass color to be used under last color used on wrong side to prevent holes.

LEFT FRONT—With size 4 needles and A, cast on 49 (51-53) sts. Work same as back for hem and turning ridge.
Next row—With size 5 needles and B, work stockinette st for 8 rows.
Beg. Diamond Pattern — Row 1 — With A, k 40 (42-44); join B, k 1, with A k 8; with free size 5 needle and separate strand of A, cast on 10 sts for front facing and k these sts to needle with the 49 (51-53) sts already worked; 59 (61-63) sts.
Row 2—P 18 A, p 1 B, p 40 (42-44) A.
Row 3—K 39 (41-43) A, k 3 B, k 7 A, slip 1 for turning st of front facing, k 9 A.
Row 4—P 17 A, p 3 B, p 39 (41-43) A.
Row 5—K 38 (40-42) A, k 5 B, k 6 A, slip 1, k 9 A.
Row 6—P 16 A, p 5 B, p 38 (40-42) A.
Row 7—K 37 (39-41) A, k 7 B, k 5 A, slip 1, k 9 A.
Row 8—P 15 A, p 7 B, p 37 (39-41) A.
Row 9—K 36 (38-40) A, k 9 B, k 4 A, slip 1, k 9 A.
Row 10—P 14 A, p 9 B, p 36 (38-40) A.
Row 11—K 35 (37-39) A, k 11 B, k 3 A, slip 1, k 9 A.
Row 12—P 13 A, p 11 B, p 35 (37-39) A.
Row 13—K 34 (36-38) A, k 13 B, k 2 A, slip 1, k 9 A.
Row 14—P 12 A, p 13 B, p 34 (36-38) A.
Row 15—K 35 (37-39) A, k 11 B, k 3 A, slip 1, k 9 A.
Row 16—P 13 A, p 11 B, p 35 (37-39) A.
Row 17—K 36 (38-40) A, k 9 B, k 4 A, slip 1, k 9 A.
Row 18—P 14 A, p 9 B, p 36 (38-40) A.
Row 19—K 37 (39-41) A, k 7 B, k 5 A, slip 1, k 9 A.
Row 20—P 15 A, p 7 B, p 37 (39-41) A.
Row 21—K 38 (40-42) A, k 5 B, k 6 A, slip 1, k 9 A.
Row 22—P 16 A, p 5 B, p 38 (40-42) A.
Row 23—K 39 (41-43) A, k 3 B, k 7 A, slip 1, k 9 A.
Row 24—P 17 A, p 3 B, p 39 (41-43) A.
Row 25—K 40 (42-44) A, k 1 B, k 8 A, slip 1, k 9 A.
Row 26—P 18 A, p 1 B, p 40 (42-44) A.
Repeat last 24 rows for diamond pattern.
Work in pat. until 4th (4th-2nd) row of third diamond has been completed. End on wrong side at side edge.
Raglan shaping—Bind off 5 sts at beg. of next row, finish row.
Work 1 row even.
Dec. row—K 1, slip, k and pass, finish row. Repeat last 2 rows 20 (20-21) times; 33 (35-36) sts. 23 rows of 4th diamond are complete. Break B.
Neck Shaping—Bind off 23 sts at beg. of next row for neck, finish row. Continue to dec. at raglan edge 5 (6-6) times more, **at the same time,** dec. 1 st at neck edge every 2nd row 3 (4-5) times; 2 sts. Bind off.

RIGHT FRONT—With size 4 needles and A, cast on 49 (51-53) sts. Work same as back for hem and turning ridge.
Next row—With size 5 needles and B, work stockinette st for 8 rows, end at front edge, cast on 10 sts at end of row for front facing; 59 (61-63) sts.
Beg. Diamond Pattern — Row 1—With A, k 9, slip 1 st as to p for turning st of front facing; k 8; join B, k 1; with A, k 40 (42-44).
Row 2—P 40 (42-44) A, p 1 B, p 18 A.
Row 3—With A, k 9, slip 1, k 7; k 3 B, k 39 (41-43) A.
Row 4—P 39 (41-43) A, p 3 B, p 17 A.
Continue in diamond pat. as for left front, reversing shaping, until 23 rows of 4th diamond are complete, end at raglan edge. Break B. P 1 row.
Next row—Bind off 23 sts for neck, finish row.
Complete to correspond to left front, reversing shaping.
SLEEVES—With A and size 4 needles, cast on 45 (47-49) sts. Work same as back for hem and turning ridge.
Next row—With size 5 needles and B, work stockinette st for 8 rows.
With A continue in stockinette st, inc. 1 st each side every 4th row 11 times; 67 (69-71) sts.
Work even until 11 ins. above turning ridge.
Raglan Shaping—Bind off 5 sts at beg. of next 2 rows.
Next row—K 1, slip, k and pass, work to within 3 sts of end, k 2 tog., k 1. P 1 row.
Repeat last 2 rows 25 (26-27) times. Bind off remaining 5 sts.
NECKBAND—Sew raglan seams. Slip 28 (30-32) sts of back from holder to size 4 needle. From right side, beg. at turning st at right front neck edge, with free size 4 needle and A, pick up and k 27 (27-28) sts evenly spaced along neck edge to right back raglan seam, k 28 (30-32) sts of back, pick up and k 27 (27-28) sts evenly spaced along neck edge to turning st at left front neck edge; 82 (84-88) sts. Break A. With B, p 1 row, k 1 row for 6 rows.
Next row—wrong side—Work turning ridge same as for back.
K 1 row, p 1 row. Break B.
With A, k 1 row, p 1 row for 6 rows. Bind off.
Fold neckband on turning ridge and hem to wrong side.
FINISHING—Sew side and sleeve seams, matching underarm seams. Turn hems on turning ridges and sew to wrong side at bottom of jacket and sleeves. Turn front facings at turning st and hem to wrong side. Soufflé requires no blocking, see page 35.

MOHAIR TRIANGLE SHAWL No. 8507 *(Shown on Page 19)*

MATERIALS: BEAR BRAND or FLEISHER'S SUPRA MOHAIR, 4 balls.
KNITTING NEEDLES: 1 pair "Boye" Needles, Size 15—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
GAUGE: 5 sts = 2 inches 4 rows = 1 inch
To check gauge, see page 35.

Note: The entire shawl is worked in garter st—k every row.
Cast on 4 sts. K 1 row. Inc. 1 st each side every row 36 times; 76 sts; every 2nd row 17 times; 110 sts. K 1 row. Bind off loosely.
FRINGE—Wind yarn around a 6" cardboard 460 times. Cut at one end. Knot 4 strands of fringe in each row along shaped edges, leaving bound-off edge free. Steam lightly, see page 35. Trim ends evenly.

Neck and Shoulder Shaping—With A, p 18, (20) sts, place on holder for left side, bind off 30 (30) sts for neck, p 18 (20) sts for right side. With E, dec. 1 st at neck edge every 2nd row twice.

Work 2 rows even. Bind off. Take up sts of left side. From right side of work, join E at neck edge, complete to correspond to right side.

FRONT—Work same as back.

FINISHING—Block pieces to measurements, given on chart below. With care to match stripes, sew side and shoulder seams.

ARMHOLE BANDS—With A, from right side, beg. at side seam, with care to keep work flat, work 1 row sc around armhole, join with slip st. Do not turn.

Repeat last row 3 times. Fold band to *right side* and hem.

NECKBAND — Beg. at shoulder seam, work as for armhole bands.



Actual size of pattern stitch before blocking.

BLOCKING CHARTS FOR RIBBON GARMENTS





BLOCKING—Always block individual pieces of ribbon knit garments *before* sewing. Pin pieces to measurements shown on charts and press lightly using *slightly damp cloth and warm iron.*

FINISHING—Sew ½ in. seams together on wrong side using matching thread and a running back stitch. Press seams open on wrong side.

A Brilliant New Idea!



Instructions for Knitted Shell
on Page 23

Glamorize YOUR KNITS with Glamour TRIM KITS by Bucilla

You'll be delighted with the many possibilities for adding new chic and sparkle to your favorite sweaters, suits, blouses or dresses, whether they're hand-knit or not.

So easy! Practically automatic! Anyone who can hold a needle can add instant glamour to any costume. What's more you can place the motifs in any arrangement you wish. Everything you need is in each kit—even the correct needles—everything.

There are many different motifs to choose from and they're surprisingly economical too—about $1.50 per kit.

ASK FOR BUCILLA GLAMOUR TRIM KITS in the art needlework department of your favorite store.

HELPFUL INFORMATION

STITCH GAUGE—*Important*—Knitted garments are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished garment will not be the correct size. The size needles recommended will give the average knitter the correct gauge. However, if you do not obtain the gauge required, change the size needles to conform to the tension of your individual knitting; if your knitting is too loose use smaller size needles to tighten gauge; if your knitting is too tight, use larger size needles to loosen gauge. You MUST get gauge given to insure proper size of finished garment.

COMPLETE ABBREVIATIONS

k—knit	tog.—together	yo—yarn over
p—purl	beg.—beginning	ch—chain
st(s)—stitch(es)	pat.(s.)—pattern(s)	sc—single crochet
inc.(s.)—increase(s)	in.(s.)—inch(es)	dc—double crochet
dec.(s.)—decrease(s)		tr—treble crochet

slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.

Double star (**) and Dagger (†) are used in the same way.

Note: When pattern requires the use of 2 colors of yarn in same row, carry color not in use loosely on wrong side of work. If color is carried across more than 3 sts, catch it on wrong side. When changing colors, bring color to be used under last color used to twist colors and prevent a hole.

INSTRUCTIONS WRITTEN IN MORE THAN ONE SIZE — Where changes for additional sizes are given in parentheses or columns —the (0) zero is used to indicate that no sts or ins. are worked for that particular size.
For example:—"k 2 (0-2), p 2, k 2" means that first size would be k 2, p 2, k 2; second size would be p 2, k 2; third size would be k 2, p 2, k 2.

MEASUREMENTS OF GARMENTS—The sizes of garments in this book are based on the standard body measurements given below. In the instructions an allowance has been made over the body measurements to give sufficient ease and insure correct fit. This allowance varies according to the style of garment, stitch, type of yarn, and gauge of knitting. To determine which size garment you should make, take your own accurate body measurements. Then use instruction for size with body measurements nearest to your own body measurements. If adjustment is necessary be sure to allow the same number of inches over the body measurements as allowed on garment you intend to make. See standard body measurement charts below.

WOMAN'S STANDARD BODY MEASUREMENTS

Sizes	10	12	14 (32)	16 (34)	18 (36)
Bust	30 ins.	32 ins.	34 ins.	36 ins.	38 ins.
Waist	24 ins.	25 ins.	26 ins.	28 ins.	30 ins.
Hip (7 ins. below waist)	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.

MARKERS—Make a small loop of contrasting color yarn and place on needle at point or points indicated in instructions. Slip loop from left to right needle without knitting.

FOR SOUFFLÉ GARMENTS ONLY

SOUFFLÉ—Needs no blocking.

SOUFFLÉ is:

1. **MACHINE WASHABLE**—Set washing machine for "delicate fabrics" with warm water.
2. **HAND WASHABLE**—Easy and quick to wash. Use any mild detergent or mild soap in warm or cool water. Rinse well and thoroughly at least twice; squeeze out excess water, roll in towel.
   Lay garment flat on smooth surface, shape and pin to original size. Allow to dry. DO NOT HANG TO DRY.
3. **DRIES QUICKLY**—If washed by machine, lay garment flat and dry as for hand washing (see No. 2). *Machine drying is not recommended.*
4. **NEEDS NO BLOCKING**—Soufflé actually needs no blocking when properly dried. If desired, place damp cloth on wrong side of garment then pat lightly (do NOT press) with warm (not hot) iron.
5. **PERMANENTLY MOTH PROOF**—Store it anywhere in perfect safety. Soufflé is permanently moth proof.
6. DO NOT DRY CLEAN.

STEAMING OR BLOCKING—To give a more tailored finish to knitted garments it is preferable to steam each piece separately. Care should be taken to block pieces to knitted shape. If the garment is sewn together first and blocked carefully after assembling, the result will also be satisfactory.

TO STEAM OR BLOCK SEPARATE PIECES—Lay pieces flat on pressing board, wrong side up, pin edges to board. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. After blocking leave pinned until thoroughly dry. Do not steam ribbing.

BROCADE—Instructions are written with allowance for stretch. Pieces should be blocked to given measurements.

TO STEAM OR BLOCK FINISHED GARMENT—Lay flat on pressing board, wrong side out, pin to board. Steam first one side and when dry, steam other side.
After blocking leave pinned until thoroughly dry, then steam all seams and crocheted edges. *Do not steam ribbing.*

Note: Be sure to buy sufficient yarn of each color in the same dye lot number to complete the article. This is not necessary if you are buying Ever-Match Yarn.

Note — To bring out the full beauty of Mohair type yarns we suggest that you brush the completed garment lightly with a plastic brush.

"BOYE" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

Printed in U.S.A.—2

BOUTIQUE

fashions
to knit
and
crochet



No. 8524
(Page 23)

No. 8526
(Page 23)

VOL. 85 50¢

Bear Brand and FLEISHER Yarns